


Using F-Response TACTICAL for Windows

1

Insert TACTICAL Subject


Insert the F-Response TACTICAL Subject USB Dongle into the Suspect's Windows Computer. Locate the newly created Removable Disk and double-click on the sub-



2

Press the Start Button

Press the "START" button on the F-Response TACTICAL Subject applica-



2

Optional, Hide the Window

Press CTRL-ALT-F12 to hide the F-Response TACTICAL Subject Window. The same key sequence will restore the window.

3

Insert TACTICAL Examiner

Insert the F-Response TACTICAL Examiner USB Dongle into the Analyst or Investigator's Windows Computer. Locate the newly created Removable Disk and double-click on the appropriate console executable.



4


Select "Auto locate..."

Select the Tactical menu item "Auto locate". The TACTICAL Examiner will search the local network for the Subject.

4

(OPTIONAL) If Auto locate does not work


Select the Tactical Menu item "Add Subject Item" and input the Subject URI (ex. 192.168.1.2:3262/sub) in the dialog.



5

Attach or login to the

Select the F-Response item in the Items column, right-click to attach as a F-Response Disk or choose to image directly. Use the Activity column to identify any newly attached disks or the status of images on your computer.



Using F-Response TACTICAL for Linux

1

Insert TACTICAL Subject

Insert the F-Response TACTICAL Subject USB Dongle into the Suspect's Linux computer. Locate the newly created Removable Disk

2

Navigate to the USB Storage device and execute the program.

Navigate to the folder containing the F-Response TACTICAL Subject for Linux (sub-lin-XXXX-tactical.exe), in this instance the folder is /media/disk. Next execute the program as root or sudo. Root account or password will be re-

```
root@x64-linux-sub media1# cd /media/disk/TACTICAL\ Subject/
root@x64-linux-sub TACTICAL Subject1# ls
dhparam.json fr-sub-exe_x64.exe sub-lin-i386-tactical.exe sub-osx-
endpoint.lic fr-sub-exe_x86.exe sub-lin-x86_64-tactical.exe sub-win-
root@x64-linux-sub TACTICAL Subject1# ./sub-lin-x86_64-tactical.exe
F-Response Linux Subject Tactical Edition 7.0.0.83
Copyright F-Response, All Rights Reserved
vg_x64linuxsub-lv_root    26.51GB /dev/mapper/vg_x64linuxsub-lv_root
vg_x64linuxsub-lv_swap   3.00GB  /dev/mapper/vg_x64linuxsub-lv_swap
scd0                      383.00MB /dev/scd0
sda                       30.00GB /dev/sda
sda1                      500.00MB /dev/sda1
sda2                      29.51GB /dev/sda2
sdb                       2.00GB  /dev/sdb
sdc                       7.38GB  /dev/sdc
sr0                       383.00MB /dev/sr0
```

3

Insert TACTICAL Examiner

Insert the F-Response TACTICAL Examiner USB Dongle into the Analyst or Investigator's Windows Computer. Locate the newly created Removable Disk and double-click on the console executable.



4

Select "Auto locate..."

Select the Tactical menu item "Auto locate". The TACTICAL Examiner will search the local network for the Subject.

4


(OPTIONAL) If Auto locate does not work

Select the Tactical Menu item "Add Subject Item" and input the Subject URI (ex. 192.168.1.2:3262/sub) in the dialog.

5

Attach or login to the remote computer

Select the remote computer listed in the items column, right-click to attach as a F-Response Disk or choose to image directly. Use the Activity column to identify any newly attached disks or the status of images on your computer.




Using F-Response TACTICAL for Apple OSX

1

Insert TACTICAL Subject

Insert the F-Response TACTICAL Subject USB Dongle into the Suspect's Apple OSX computer. Locate the newly created Removable Disk .



2

Navigate to the USB device and execute the program

Navigate to the /Volumes/SUBJECT/TACTICAL\ Subject folder. Next execute the program using sudo(admin or account password will be required). The command line is "sudo ./sub-osx-x86_64-tactical".

```
TACTICAL Subject — sub-osx-x86_64-t — 80x20
osx-10-9-mavericks:~ frestest$ cd /Volumes/S
SUBJECT/ Secondary/
osx-10-9-mavericks:~ frestest$ cd /Volumes/SUBJECT/TACTICAL\ Subject/
osx-10-9-mavericks:TACTICAL Subject frestest$ sudo ./sub-
sub-lin-i386-tactical.exe sub-win-i386-tactical.exe
sub-lin-x86_64-tactical.exe sub-win-x86_64-tactical.exe
sub-osx-x86_64-tactical
osx-10-9-mavericks:TACTICAL Subject frestest$ sudo ./sub-osx-x86_64-tactical
Password:
F-Response OSX Subject Tactical Edition 7.0.0.83
Copyright F-Response, All Rights Reserved
rdisk0 40.00GB /dev/rdisk0
rdisk0s1 200.00MB /dev/rdisk0s1
rdisk0s2 39.20GB /dev/rdisk0s2
rdisk0s3 619.89MB /dev/rdisk0s3
rdisk1 5.00GB /dev/rdisk1
rdisk1s1 200.00MB /dev/rdisk1s1
rdisk1s2 4.68GB /dev/rdisk1s2
rdisk2 7.38GB /dev/rdisk2
```

3

Insert TACTICAL Examiner

Insert the F-Response TACTICAL Examiner USB Dongle into the Analyst or Investigator's Windows Computer. Locate the newly created Removable Disk and double-click on the console exe (x86).exe executable.



4

Select "Auto locate..."

Select the Tactical menu item "Auto locate". The TACTICAL Examiner will search the local network for the Subject.

4

(OPTIONAL) If Auto locate does not work

Select the Tactical Menu item "Add Subject Item" and input the Subject URI (ex. 192.168.1.2:3262/sub) in the dialog.

5

Attach or login to the remote computer

Select the remote computer listed in the items column, right-click to attach as a F-Response Disk or choose to image directly. Use the Activity column to identify any newly attached disks or the status of images on your computer.

